#### Virginia Fire Services Board and Board of Housing and Community Development STATEWIDE FIRE PREVENTION CODE DEVELOPMENT COMMITTEE 2015 CODE CHANGE CYCLE – BOOK 5 – PART 1 September 18, 2017

#### **Opening Statement**

TAB 1 – SFPC Proposals Recommended by Workgroups as Consensus for Approval (approve individually or as a block)

| Proposal Number                           | Description of Proposal                  | Page No. |
|---|--|----------|
|   |  |          |
| C-119.7 Hearings and decision.            | Written decision (SFPC portion).         | 5        |
| CB-202(2) Definitions (ch. of occupancy). | Use one definition (SFPC portion).       | 7        |
| F-107.2(1) Operational permits.           | Binary explosives.                       | 11       |
| F-107.2(2) Operational permits.           | Mobile food vehicles.                    | 19       |
| F-112.5 Application for appeal.           | Change terminology.                      | 27       |
| F-301.3 Occupancy.                        | Building official to issue cert. of occ. | 29       |
| F-609.3.3.1 Tags.                         | When hoods are cleaned.                  | 31       |
| F-703.1(2) Maintenance.                   | Time period for visual inspection.       | 35       |
| F-703.4 Testing.                          | Opening protectives.                     | 37       |
| F-1030.1 General.                         | Emergency rescue (SFPC portion).         | 47       |
| F-3103.2 Approval required.               | Deletion of IFC tent scoping provision.  | 49       |
| F-3501.2 Permits.                         | Correlation with state amendments.       | 51       |
| F-5605.1 General.                         | Fireworks standards.                     | 53       |
| F-5706.1.1 Mobile fueling operations.     | Prohibitions.                            | 55       |
| F-6701.2 Permits.                         | Correlation with state amendments.       | 59       |

## TAB 2 – SFPC Proposals Recommended by Workgroups as Consensus for Disapproval (approve individually or as a block)

|            | Proposal Number                        | Description of Proposal               | Page No. |
|------------|--|---------------------------------------|----------|
|            |  |                                       |          |
| D          | CB-915.1.1(1) Installation.            | In-bldg. emer. comm. (SFPC portion).  | 61       |
| PARRY OVER | F-102.1.1 Changes.                     | Use without certificate of occupancy. | 65       |
| D          | F-107.2(3) Hot works operations.       | Inside structure.                     | 67       |
| Ď          | F-319 Cooking.                         | Location of cooking appliances.       | 69       |
| Ď          | F-403.12.3.1 Number of crowd managers. | Threshold for requiring.              | 71       |
| Ď          | F-601.3 Building records on site.      | Owner to provide.                     | 73       |
| Ď          | F-703.1(1) Maintenance.                | Annual inspection unnecessary.        | 75       |

#### TAB 3 - SFPC Proposals Recommended by Workgroups as Non-consensus

|   | Proposal Number                      | Description of Proposal | Page No. |
|---|--------------------------------------|-------------------------|----------|
|   |                                      |                         |          |
| 3 | F-107.11 State Fire Marshal's Office | Fee adjustments.        | 77       |

THERE IS A LING THAT NEEDS TO BE STRICTEN (EATTORIAL)
(agenda continued on next page)

TAB 3 (continued) – SFPC Proposals Recommended by Workgroups as Non-consensus

|   | Proposal Number                                       | Description of Proposal         | Page No. |
|---|---|---------------------------------|----------|
|   |   |                                 |          |
| A | F-507.5.1 Where required.<br>F-511 As-built drawings. | Fire hydrant systems.           | 81       |
| Ď | F-511 As-built drawings.                              | To be provided by owner.        | 83       |
| D | F-609.3 Operations and maintenance.                   | Location of cooking appliances. | 85       |
|   | F-2311.7 Repair garages                               | Lighter-than-air motor fuels.   | 87       |

# Virginia Fire Services Board and Board of Housing and Community Development STATEWIDE FIRE PREVENTION CODE DEVELOPMENT COMMITTEE 2015 CODE CHANGE CYCLE – BOOK 5 – PART 2 September 18, 2017

TAB 1 - Fire Code Edit Committee Proposals (Chapter 1 through Chapter 10, section 1003.7).

APPROVED NITH TAB 3 CONCENSUS SECTIONS

TAB 2 – FSB Code Committee Proposals (Chapter 1 through Chapter 10, section 1003.7).

\*TAB 3 – Summary Document of SFPC Sections Recommended by the Workgroup as Consensus for Approval (Chapter 1 through Chapter 10, section 1003.6).

\*ADD 901.5,907.2,12 + 913.11 \*APPROVED

\*\*TAB 4 – Summary Document of SFPC Sections Recommended by the Workgroup as Non-consensus (Chapter 1 through Chapter 10, section 1003.7).

- DISAPPROJED - W/O 901, G, 907.2,12 + 913,1

TAB 5 – SFPC Sections 1004 through 1032: Recommended by the Workgroup as Nonconsensus. (Not reviewed by workgroup).

|   |   | Page No. |
|---|---|----------|
| Α | Fire Code Edit Committee Proposals (Chapter 10, Sections 1004 – 1032) | 513      |
| D | FSB Code Committee Proposals (Chapter 10, Sections 1004 – 1032)       | 617      |

# TAB 6 – Fire Code Edit Committee Chapters 11 through 67: Recommended by the Workgroup as Non-consensus. (Not reviewed by workgroup).

APPROVED

| Proposal Chapters | Description*                                 | Page No. |
|-------------------|--|----------|
| Chapter 11        | Chapter 11 (Chapters 12-19 are reserved)     | 739      |
| Chapters 20-24    | Chapters 20-24                               | 741      |
| Chapters 25-30    | Chapters 25-30                               | 806      |
| Chapters 31-49    | Chapters 31-37 (Chapters 38-49 are reserved) | 842      |
| Chapter 50        | Chapter 50                                   | 887      |
| Chapters 51-56    | Chapters 51-56 (Chapter 52 is reserved)      | 920      |
| Chapter 57        | Chapter 57                                   | 977      |
| Chapters 58-59    | Chapters 58 and 59                           | 1041     |
| Chapters 60-79    | Chapters 60-67 (Chapters 68-79 are reserved) | 1054     |

<sup>\*</sup>The Appendix N provisions for each of the "Proposal Chapters" listed are at the end of the chapters or sections listed at each tab.

#### Virginia Board of Housing and Community Development CODES AND STANDARDS COMMITTEE 2015 CODE CHANGE CYCLE – BOOK 6 September 18, 2017

#### **Opening Statement**

TAB 1 – VCC Proposals Recommended by Workgroups as Consensus for Approval (approve individually or as a block)

|     | Proposal Number                           | Description of Proposal                   | Page No. |
|-----|---|---|----------|
|     |   |   |          |
| A   | C-102.3 Exemptions.                       | Communication company exemptions.         | 7        |
| A   | C-108.2(2) Exemptions from app            | May req. permit in sp. flood hazard area. | 11       |
| ♣ Ď | C-113.7.1(1) Third party inspectors.      | May require third party inspections.      | 17       |
| A   | C-115.2 Notice of violation.              | Specify time frame for corrections.       | 19       |
| A   | C-119.7 Hearings and decision.            | Written decision (USBC portion).          | 21       |
| A   | CB-202(2) Definitions (ch. of occupancy). | Use one definition (USBC portion).        | 23       |
| A   | CB-717.6.2.2 Equipment shutdown.          | Ceiling radiation dampers.                | 27       |
| A   | CB-905.2 Installation standard.           | Standpipe pressure (Option 1).            | 29       |
| A   | CB-912.3 Access.                          | Fire department connections.              | 33       |
| A   | CB-1011.16 Ladders.                       | Defer to International Mechanical Code.   | 35       |
| A   | CB-1023.5 Penetrations.                   | Interior exit stairways.                  | 37       |
| Á   | CB-1704.2 Special inspections.            | Scoping provisions.                       | 41       |
| *A  | CB-2603.5.5 Vertical and lateral          | Noncombustible exterior coverings.        | 43       |
| A   | CE-C402.4.3 Maximum U factor              | Maintain current level.                   | 49       |
| A   | CE-403.2.6.3 Dwelling unit mech           | Mechanical ventilation in Group R-2.      | 53       |
| A   | CE-R401.2 Compliance.                     | Clarification of terminology.             | 59       |
| AM  | CE-R403.3.3 Duct testing.                 | Incentivize use of ERI method.            | 61       |
|     | CR-R308.4.5 Glazing and wet surfaces.     | Editorial clarification.                  | 65       |
|     | CR-R404.1.9.2 Masonry piers               | Deletion of unnecessary language.         | 67       |
| A   | CR-R602.10.9 Braced wall panel            | Retain state amendment.                   | 73       |
| A   | CTP-1106.2 Vert. cond. and leaders.       | Retain current IPC language.              | 75       |
| A   | CTS-305.2.9 Equipment clear zone.         | Distance to property line.                | 81       |
| A   | F-1030.1 General.                         | Emergency rescue (USBC portion).          | 83       |

 $TAB\,2-VCC\,Proposals\,Recommended\,by\,Workgroups\,as\,Consensus\,for\,Disapproval\,(approve\,individually\,or\,as\,a\,block)$ 

| !   | Proposal Number                         | Description of Proposal              | Page No. |
|-----|---|--------------------------------------|----------|
| İ   |   |                                      |          |
| D   | C-103.3 Change of occupancy.            | Use IBC language.                    | 85       |
|     | C-113.7.1(2) Third-party inspectors.    | Permit locality to mandate.          | 89       |
| # D | CB-202(1) Definitions (Dwelling unit).  | Accessory dwelling unit.             | 91       |
| D   | CB-915.1.1(1) Installation.             | In-bldg. emer. comm. (USBC portion). | 93       |
| D   | CR-R202 Definitions (Least poss. cost). | Energy terminology.                  | 95       |
| D   | CR-R303.5.1 Intake openings.            | Combined intake/exhaust.             | 97       |
| D   | CTE-725 Installation of conductors      | Amendment to NEC/ethernet.           | 99       |

(agenda continued on next page)

TAB 3 – VCC Proposals Recommended by Workgroups as Non-consensus

| AC-105.2.1 Qualifications of techCertification of permit technicians.101AC-106.4 Building official to informFire department connections.109DC-108.1 When applications are required.Supplemental floor support systems.111CC-108.2(1) Exemptions from appRoof decking exemption.115DC-108.2(3) Exemptions from appRoof covering exemption.119DC-109.7 As-built drawings.Owner to have as-built drawings.131DC-116.4 Issue of certificateAllow fire official to request.133DCB-903.2.4 Group F-1. Staff corr Group M Sprinkler thresholds uphol. furn./matt.135ACB-903.3.5.1.1 Limited area sprinklerRetain current threshold.139DCB-915.1.1(2) Installation.In-bldg. emer. comm. (USBC portion).143DCB-3307.2 Protection of adjacentOccupied areas during construction.145ACE-R405.5.2 Specifications for theDelete state amendment.147T IECR-E3902.16 Arc-fault protectionCompromise arc-fault proposal.155T IECR-R803.2.4 Structural fasciaStrengthening of roof diaphragm.175DCR-R905.2.8.5 Drip edge.Delete state amendment.181DCR-R908.7 Roof system repairs  | [          | Proposal Number                          | Description of Proposal                    | Page No. |
|---|------------|--|--|----------|
| A C-106.4 Building official to inform Fire department connections. 109 C-108.1 When applications are required. Supplemental floor support systems. 111 A C-108.2(1) Exemptions from app Roof decking exemption. 115 C-108.2(3) Exemptions from app Roof covering exemption. 119 C-109.7 As-built drawings. Owner to have as-built drawings. 131 C-116.4 Issue of certificate Allow fire official to request. 133 CB-903.2.4 Group F-1. Staff corr Group M Sprinkler thresholds uphol. furn./matt. 135 A CB-903.3.5.1.1 Limited area sprinkler Retain current threshold. 139 CB-915.1.1(2) Installation. In-bldg. emer. comm. (USBC portion). 143 CB-3307.2 Protection of adjacent Occupied areas during construction. 145 CE-R405.5.2 Specifications for the Delete state amendment. 147 CR-E3902.16 Arc-fault protection Compromise arc-fault proposal. 155 CR-R313.1 Townhouse automatic Sprinklers in dwellings for senior living. 165 CR-R802.2 Design and construction. Roof framing. 175 CR-R803.2.4 Structural fascia Strengthening of roof diaphragm. 179 CR-R905.2.8.5 Drip edge. Delete state amendment. 181  |            |  |  |          |
| C-108.1 When applications are required. Supplemental floor support systems.  C-108.2(1) Exemptions from app Roof decking exemption.  C-108.2(3) Exemptions from app Roof covering exemption.  D-109.7 As-built drawings. Owner to have as-built drawings.  C-116.4 Issue of certificate Allow fire official to request.  CB-903.2.4 Group F-1. Staff corr Group M Sprinkler thresholds uphol. furn./matt.  CB-903.3.5.1.1 Limited area sprinkler Retain current threshold.  D-116.4 CB-903.3.5.1.1 Limited area sprinkler Retain current threshold.  CB-915.1.1(2) Installation. In-bldg. emer. comm. (USBC portion).  CB-3307.2 Protection of adjacent Occupied areas during construction.  CE-R405.5.2 Specifications for the Delete state amendment.  CR-E3902.16 Arc-fault protection Compromise arc-fault proposal.  CR-R313.1 Townhouse automatic Sprinklers in dwellings for senior living.  CR-R803.2.4 Structural fascia Strengthening of roof diaphragm.  CR-R905.2.8.5 Drip edge.  D-12 CR-R905.2.8.5 Drip edge.  D-13 CR-R905.2.8.5 Drip edge.  D-14 CR-R905.2.8.5 Drip edge.  D-15 CR-R905.2.8.5 Drip edge.  D-16 CR-R905.2.8.5 Drip edge.  D-17 CR-R905.2.8.5 Drip edge.  D-18 CR-R905.2.8.5 Drip edge. | A          |  | Certification of permit technicians.       | 101      |
| C-108.2(1) Exemptions from app Roof decking exemption. 115  C-108.2(3) Exemptions from app Roof covering exemption. 119  C-109.7 As-built drawings. Owner to have as-built drawings. 131  C-116.4 Issue of certificate Allow fire official to request. 133  CB-903.2.4 Group F-1. Staff corr Group M Sprinkler thresholds uphol. furn./matt. 135  CB-903.3.5.1.1 Limited area sprinkler Retain current threshold. 139  CB-915.1.1(2) Installation. In-bldg. emer. comm. (USBC portion). 143  CB-3307.2 Protection of adjacent Occupied areas during construction. 145  CE-R405.5.2 Specifications for the Delete state amendment. 147  CR-E3902.16 Arc-fault protection Compromise arc-fault proposal. 155  CR-R313.1 Townhouse automatic Sprinklers in dwellings for senior living. 165  CR-R802.2 Design and construction. Roof framing. 175  CR-R803.2.4 Structural fascia Strengthening of roof diaphragm. 179  CR-R905.2.8.5 Drip edge. Delete state amendment. 181  | A          | C-106.4 Building official to inform      | Fire department connections.               | 109      |
| Delete state amendment.  CR-R803.2.4 Structural fascia  CR-R803.2.8 Sbuilt drawings.  Owner to have as-built drawings.  Allow fire official to request.  Allow fire official to request.  Allow fire official to request.  In-bldg uphol. furn./matt.  Retain current threshold.  In-bldg. emer. comm. (USBC portion).  In-bldg emer. comm. (USBC portion).  CR-R405.5.2 Specifications for the  CR-R313.1 Townhouse automatic  CR-R803.2.4 Structural fascia  CR-R803.2.4 Structural fascia  CR-R905.2.8.5 Drip edge.  Delete state amendment.  181  |            | C-108.1 When applications are required.  | Supplemental floor support systems.        | 111      |
| C-109.7 As-built drawings.  D C-116.4 Issue of certificate Allow fire official to request.  D CB-903.2.4 Group F-1. Staff corr Group M Sprinkler thresholds uphol, furn./matt.  CB-903.3.5.1.1 Limited area sprinkler Retain current threshold.  D CB-915.1.1(2) Installation.  D CB-3307.2 Protection of adjacent Occupied areas during construction.  CE-R405.5.2 Specifications for the Delete state amendment.  CR-E3902.16 Arc-fault protection Compromise arc-fault proposal.  CR-R313.1 Townhouse automatic Sprinklers in dwellings for senior living.  CR-R802.2 Design and construction.  CR-R803.2.4 Structural fascia Strengthening of roof diaphragm.  D CR-R905.2.8.5 Drip edge.  D elete state amendment.   | Pτ         | C-108.2(1) Exemptions from app           | Roof decking exemption.                    | 115      |
| C-116.4 Issue of certificate Allow fire official to request.  CB-903.2.4 Group F-1. Staff corr Group M Sprinkler thresholds uphol, furn./matt.  CB-903.3.5.1.1 Limited area sprinkler Retain current threshold.  CB-915.1.1(2) Installation.  CB-915.1.1(2) Installation.  CB-3307.2 Protection of adjacent Occupied areas during construction.  CE-R405.5.2 Specifications for the Delete state amendment.  CR-E3902.16 Arc-fault protection Compromise arc-fault proposal.  CR-R313.1 Townhouse automatic Sprinklers in dwellings for senior living.  CR-R802.2 Design and construction.  CR-R803.2.4 Structural fascia Strengthening of roof diaphragm.  CR-R905.2.8.5 Drip edge.  Delete state amendment.   | ⊳[         | C-108.2(3) Exemptions from app           | Roof covering exemption.                   | 119      |
| CB-903.2.4 Group F-1. Staff corr Group M Sprinkler thresholds uphol. furn./matt.  CB-903.3.5.1.1 Limited area sprinkler Retain current threshold.  CB-915.1.1(2) Installation.  CB-915.1.1(2) Installation.  CB-3307.2 Protection of adjacent Occupied areas during construction.  CE-R405.5.2 Specifications for the Delete state amendment.  CR-E3902.16 Arc-fault protection Compromise arc-fault proposal.  CR-R313.1 Townhouse automatic Sprinklers in dwellings for senior living.  CR-R802.2 Design and construction.  CR-R803.2.4 Structural fascia Strengthening of roof diaphragm.  CR-R905.2.8.5 Drip edge.  Delete state amendment.   | Þ          | C-109.7 As-built drawings.               | Owner to have as-built drawings.           | 131      |
| CB-903.3.5.1.1 Limited area sprinkler Retain current threshold.  CB-915.1.1(2) Installation.  CB-3307.2 Protection of adjacent Occupied areas during construction.  CE-R405.5.2 Specifications for the Delete state amendment.  CR-E3902.16 Arc-fault protection Compromise arc-fault proposal.  CR-R313.1 Townhouse automatic Sprinklers in dwellings for senior living.  CR-R802.2 Design and construction.  CR-R803.2.4 Structural fascia Strengthening of roof diaphragm.  CR-R905.2.8.5 Drip edge.  Delete state amendment.  | D          | C-116.4 Issue of certificate             | Allow fire official to request.            | 133      |
| CB-915.1.1(2) Installation. In-bldg. emer. comm. (USBC portion).  CB-3307.2 Protection of adjacent Occupied areas during construction.  CE-R405.5.2 Specifications for the Delete state amendment.  CR-E3902.16 Arc-fault protection Compromise arc-fault proposal.  CR-R313.1 Townhouse automatic Sprinklers in dwellings for senior living.  CR-R802.2 Design and construction.  CR-R803.2.4 Structural fascia Strengthening of roof diaphragm.  CR-R905.2.8.5 Drip edge.  Delete state amendment.  | p[         | CB-903.2.4 Group F-1. Staff corr Group M | Sprinkler thresholds uphol, furn./matt.    | 135      |
| CB-3307.2 Protection of adjacent Occupied areas during construction.  CE-R405.5.2 Specifications for the Delete state amendment.  CR-E3902.16 Arc-fault protection Compromise arc-fault proposal.  CR-R313.1 Townhouse automatic Sprinklers in dwellings for senior living.  CR-R802.2 Design and construction.  CR-R803.2.4 Structural fascia Strengthening of roof diaphragm.  CR-R905.2.8.5 Drip edge.  Delete state amendment.  | A          | CB-903.3.5.1.1 Limited area sprinkler    | Retain current threshold.                  | 139      |
| CE-R405.5.2 Specifications for the Delete state amendment.  CR-E3902.16 Arc-fault protection Compromise arc-fault proposal.  CR-R313.1 Townhouse automatic Sprinklers in dwellings for senior living.  CR-R802.2 Design and construction.  CR-R803.2.4 Structural fascia Strengthening of roof diaphragm.  CR-R905.2.8.5 Drip edge.  Delete state amendment.  | D          | CB-915.1.1(2) Installation.              | In-bldg. emer. comm. (USBC portion).       | 143      |
| TIE CR-E3902.16 Arc-fault protection Compromise arc-fault proposal. 155  CR-R313.1 Townhouse automatic Sprinklers in dwellings for senior living. 165  A CR-R802.2 Design and construction. Roof framing. 175  CR-R803.2.4 Structural fascia Strengthening of roof diaphragm. 179  CR-R905.2.8.5 Drip edge. Delete state amendment. 181   | D[         | CB-3307.2 Protection of adjacent         | Occupied areas during construction.        | 145      |
| CR-R313.1 Townhouse automatic Sprinklers in dwellings for senior living. 165 CR-R802.2 Design and construction. Roof framing. 175 CR-R803.2.4 Structural fascia Strengthening of roof diaphragm. 179 CR-R905.2.8.5 Drip edge. Delete state amendment. 181   | A          | CE-R405.5.2 Specifications for the       | Delete state amendment.                    | 147      |
| ACR-R802.2 Design and construction.Roof framing.175DCR-R803.2.4 Structural fasciaStrengthening of roof diaphragm.179DCR-R905.2.8.5 Drip edge.Delete state amendment.181   | TIE        | CR-E3902.16 Arc-fault protection         | Compromise arc-fault proposal.             | 155      |
| ▶ CR-R803.2.4 Structural fasciaStrengthening of roof diaphragm.179▶ CR-R905.2.8.5 Drip edge.Delete state amendment.181  | TIE[       | CR-R313.1 Townhouse automatic            | Sprinklers in dwellings for senior living. | 165      |
| Delete state amendment. 181   | A          | CR-R802.2 Design and construction.       | Roof framing.                              | 175      |
|   | <b>D</b> [ | CR-R803.2.4 Structural fascia            | Strengthening of roof diaphragm.           | 179      |
| D CR-R908.7 Roof system repairs Percentage to require full repair. 183  | D          | CR-R905.2.8.5 Drip edge.                 | Delete state amendment.                    | 181      |
|   | D          | CR-R908.7 Roof system repairs            | Percentage to require full repair.         | 183      |
| CTM-401.4 Intake opening location.   Combined intake/exhaust termination.   185   | / PD       | CTM-401.4 Intake opening location.       | Combined intake/exhaust termination.       | 185      |

TAB 4 – VMC and VRC Proposals Recommended by Workgroups as Consensus for Approval (approve individually or as a block)

| Proposal Number                    | Description of Proposal                 | Page No. |
|------------------------------------|---|----------|
|                                    |   |          |
| M-104.5.4.3 Manufactured home park | Tenant notification of NOV.             | 189      |
| M-105.9 Emergency repairs          | Change in terminology.                  | 191      |
| M-202(2) Definitions (Applicable). | New terminology (USBC portion).         | 193      |
| M-505.5 Nonpotable water reuse     | Discontinued systems.                   | 197      |
| M-603.1(2) Mechanical equipment    | Clarification of scope.                 | 199      |
| M-604.3.2.1 Electrical equipment.  | Fire damaged equipment.                 | 201      |
| M-606.1(1) General.                | Location of elevator certificate.       | 203      |
| R-101.1 Short title.               | Consolidation of IEBC/VEBC.             | 205      |
| R-102.2 Scope.                     | Correlation of VCC and VEBC.            | 357      |
| R-301.1.1 Prescriptive compliance  | Clarification and coordination.         | 371      |
| R-302.3 Existing materials.        | Deletion of terms dangerous and unsafe. | 375      |
| R-302.6 Standards for replacement  | Correlation with state law.             | 379      |
| R-403.1 General.                   | Voluntary stairway replacement.         | 383      |
| R-405.1.1 New buildings.           | Fire escapes.                           | 385      |
| R-408.1 Historic buildings.        | Clarification of provisions.            | 389      |
| R-410.1 Change of occupancy.       | Clarification of provisions.            | 391      |

(agenda continued on next page)

### TAB 4 (continued) – VMC and VRC Proposals Recommended by Workgroups as Consensus for Approval (approve individually or as a block)

|   | Proposal Number                       | Description of Proposal               | Page No. |
|---|---------------------------------------|---------------------------------------|----------|
|   |                                       |                                       |          |
| A | R-708.1 Minimum requirements.         | Energy requirements for windows.      | 395      |
| 1 | R-803.2.1 Existing vertical openings. | Clarification of provisions.          | 397      |
| - | R-804.4.1 Fire alarm requirements.    | Deletion of redundant language.       | 401      |
|   | R-805.5.3 Other corridor openings.    | Corridor construction.                | 403      |
| 1 | R-1001 General.                       | Clarification of change of occupancy. | 405      |

# TAB 5 - VMC and VRC Proposals Recommended by Workgroups as Consensus for Disapproval (approve individually or as a block)

|           | Proposal Number                         | Description of Proposal              | Page No. |
|-----------|---|--------------------------------------|----------|
|           |   |                                      |          |
| D         | M-202(1) Definitions (Structure unfit). | Required versus provided appliances. | 423      |
| 1         | M-602.2(2) Heat supply.                 | Applicable dates.                    | 433      |
|           | M-603.1(1) Mechanical appliances.       | Required versus provided appliances. | 439      |
|           | M-606.1(2) General.                     | Requiring third party elevator insp. | 441      |
|           | R-808.2 Existing installations.         | Wiring in patient care areas.        | 443      |
|           | R-902.1.2 Elevators.                    | Elevator alterations.                | 447      |
| $\bigvee$ | R-902.1.3 Fire command center.          | Alterations to high-rise buildings.  | 449      |

#### TAB 6 - VMC and VRC Proposals Recommended by Workgroups as Non-consensus

| 1 | Proposal Number                   | Description of Proposal           | Page No. |
|---|-----------------------------------|-----------------------------------|----------|
| i |                                   |                                   |          |
| A | M-103.2.1 Responsibility.         | Language for violations from VCC. | 451      |
| D | M-505.4 Water heating facilities. | Minimum hot water temperature.    | 455      |
| D | M-602.2(1) Heat supply.           | Prevent damage from freezing.     | 457      |
| A | R-402.5 Smoke alarms in existing  | When upgrades are required.       | 461      |

## TAB 7 – VADR and IBSR Proposals Recommended by Workgroups as Consensus for Approval (approve individually or as a block)

|   | Proposal Number                          | Description of Proposal       | Page No. |
|---|--|-------------------------------|----------|
|   |  |                               |          |
| A | A-75 Local building department.          | Clarification of terminology. | 463      |
| A | I-120 Unregistered industrialized bldgs. | DHCD staff recommendations.   | 467      |